



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,523	12/10/2003	Kevin L. Beaman	108298718US	9060
25096	7590	06/20/2006	EXAMINER	
PERKINS COIE LLP			TUROCY, DAVID P	
PATENT-SEA				
P.O. BOX 1247			ART UNIT	
SEATTLE, WA 98111-1247			PAPER NUMBER	
			1762	

DATE MAILED: 06/20/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/733,523

Applicant(s)

BEAMAN ET AL.

Examiner

David Turocy

Art Unit

1762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 4/20/2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15, 27-34 and 40-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15, 27-34, and 40-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Amendment

1. The applicant amendments, filed 4/20/2006, have been fully considered and reviewed by the examiner. The examiner notes the amendment to claims 1, 27, 33 and 40, the cancellation of claims 16-26 and 35-39, and the addition of new claims 42 and 43. Claims 1-15, 27-34, and 40-43 are pending in the instant application.

In view of the amendment to the independent claims requiring the limitations "during a temperature ramp-up" the examiner has withdrawn the rejection over the ASA.

In view of the amendment to the independent claims, requiring the first and second temperature to be readings from the first and second sensor, rather than the previous "from" the examiner has withdrawn the rejections of Porter.

Response to Arguments

2. Applicant's arguments filed 4/20/06 have been fully considered but they are not persuasive.

The applicant has argued against the 35 USC 112 1st paragraph stating the specification discloses sufficient detail to enable one of ordinary skill in the art to operate temperature sensor located outside a deposition chamber for controlling the heat source. The examiner agrees the specification is enabled for a sensor located outside of the deposition chamber between the heat source (50) and the deposition chamber wall (see figure 3). However, the examiner maintains that the specification does not provide enablement for any other location of a temperature sensor outside the

Art Unit: 1762

chamber, which is clearly within the scope of "positioned outside the deposition chamber". Therefore the specification does not enable one of ordinary skill in the art to use the entire scope of the invention, i.e. a temperature sensor located at any point outside of the chamber.

All other arguments are deemed moot because they are directed to added limitations not present in the rejection claims.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-15, 27-34, and 40-43 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for providing a first temperature sensor located outside of the deposition chamber between the heat source (50) and the deposition chamber wall (see figure 3), does not reasonably provide enablement for all temperature sensors on the outside of the deposition chamber. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to use the invention commensurate in scope with these claims. The specification does not provide additional direction or working examples to one of ordinary skill in the art to provide any temperature sensor "outside" of the deposition chamber, which is clearly within the scope of the claimed invention, to properly control the temperature during ramping. The specification does not provide guidance on the

Art Unit: 1762

relationship between a temperature sensor, located at any point outside of the deposition chamber, and the deposition temperature and one of ordinary skill in the art at the time of the invention would reasonably have to conduct undue experimentation to determine such a relationship.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Turocy whose telephone number is (571) 272-2940. The examiner can normally be reached on Monday-Friday 8:30-6:00, No 2nd Friday.

Art Unit: 1762

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David Turocy
AU 1762



TIMOTHY MEEKS
SUPERVISORY PATENT EXAMINER